

HIGH PERFORMANCE SOLUTIONS USING ROTARY FORGING



PRECISION ROTARY FORGING MINIMIZES MATERIAL LOSSES

Manufacturing efficiency and scrap reduction are critical factors when dealing with expensive materials. Elmet Technologies has the capabilities to produce precision forged bar products through its state-of-the-art rotary forging technology.

Elmet Technologies developed this process to reduce cost and waste associated with machining. Cost savings are gained from the use of less material and therefore less scrap as well as the reduction or elimination of machining.

In addition to precision forged bar, our CNC controlled forging machine can process produce tapers and steps for near net shape products. A state-of-the-control system samples power, tonnage, temperature and other process data once per second for piece to piece consistency.

ROTARY FORGING SERVICES AND PRODUCTS

Elmet Technologies produces a wide variety of sizes from a wide spectrum of materials; soft metals such as copper and difficult to forge materials like Cobalt and Nickel Alloys.

We can minimize end effects and outside diameter losses, enabling us to consistently deliver high quality products to our customers. As a fully-integrated supplier, we can take your project from material procurement through billet preparation and forging, to final processing.

Wide spectrum of materials:

- >Cobalt and Nickel Alloys
- >Cu-Be Alloys
- >Titanium Alloys
- >Pure Metals
- >High Strength Stainless Steels

ROTARY FORGE CAPABILITIES

Geometry

At Elmet Technologies we are capable of producing stepped and tapered products. Geometries depend on the tooling available and the workpiece properties at the desired forging temperature. Tooling can be manufactured for specific applications and requirements. Elmet Technologies' CNC controlled rotary forging machine can typically hold a total forged tolerance of 1 mm (0.040 inch).

Length

The maximum forged length for automatic unload is 6.25 meters (20.5 feet). If needed, longer lengths can be pushed manually to 6.85 meters (22.5 feet). Maximum lengths are dependant on material type and temperature requirements.

Furnace

Our gas fired furnace is 36 inch wide by 36 inch tall by 10 feet deep. We can maintain temperatures ranging from 1500 °F to 3000 °F.

Round Forging Input Sizes

6.375	SM	LF	MF	
6.000	SM			HF
5.750	SM		LF	
5.500				MF
5.000				HF
4.500		LF		
	25	28	30	31.5
	Minimum Length (inch)			

- Cold Forged: Work piece starts at room temperature
 - Cold Working: Hardening of material during working process
 - Hot Working: No hardening of material during working process
- Maximum Start Length: 110 inch
 Maximum Weight: 750 kg
 Minimum Forged Diameter: 1.18 inch (30 mm)

HF = High Flow Stress Materials:

- >Co Superalloys
- >Ni Superalloys
- >Ti Alloys

LF = Low Flow Stress Materials:

- >Medium Alloy Steels
- >Low Alloy Steels
- >300 Stainless Steels
- >400 Stainless Steels
- >Cu-Be Alloys

MF = Medium Flow Stress Materials:

- >Tool Steel
- >Precipitation Hardening S.S.
- >Heat Resistant Alloys

SM = Soft Metals:

- >Copper
- >Pure Al and others

The Rods chart above defines starting billet diameters and length.



ELMET TECHNOLOGIES

1560 Lisbon Street • Lewiston, Maine 04240

P +1.207.333.6100

sales@elmettech.com

www.elmettechnologies.com

The conditions of your use and application of Elmet Technologies products, technical assistance, and information (whether verbal, written or by way of production evaluations), including any suggested formulations and recommendations, is your responsibility. Therefore, you are encouraged to test our products and review any technical assistance and/or information you may receive from Elmet Technologies with your own resources, and determine to your own satisfaction whether Elmet Technologies products are suitable for your intended uses and applications. This application-specific analysis should include at minimum testing to determine suitability for the intended use from a technical as well as health, safety, and environmental standpoint. Any technical assistance and/or information provided by Elmet Technologies is given without any express or implied warranty or guarantee. You agree and understand and hereby expressly release Elmet Technologies from all liability, in tort, contract or otherwise, incurred in connection with the use of our products, technical assistance and/or information, except as may be contained otherwise in a written agreement between you and Elmet Technologies. Any statement or recommendation not contained herein or in a written agreement between you and Elmet Technologies is unauthorized and shall not bind Elmet Technologies. Nothing herein shall be construed as a recommendation to use any Elmet Technologies products in a manner violative of the intellectual property rights of any third party. No license is implied or granted under or to Elmet Technologies intellectual property. All product deliveries are based on the then current product specification and Elmet Technologies' Conditions of Sale. IN NO EVENT WILL ELMET TECHNOLOGIES BE LIABLE FOR INCIDENTAL OR CONSEQUENTIAL DAMAGES.